



HERITAGE BLOCK ROUND FIRE PIT KIT (48" diameter x 18" tall)



Materials included

- ❑ 48 Garden Blocks
- ❑ 8 Radius Caps
- ❑ 1 Metal Fire Pit Insert

Additional materials and tools needed for this project

- | | | |
|----------------------|-------------------------------------|---------------|
| ¼ Yard Washed Gravel | Protective Equipment | Rubber Mallet |
| Level | Weather Resistant Concrete Adhesive | Tape Measure |

Instructions

Responsibilities:

It is the responsibility of the owner to ensure compliance with all applicable laws, codes and regulations for any project. Proper safety precautions must be taken before and during the construction of each project. Please follow standard safety guidelines and wear necessary protective equipment when building and using your Heritage Block Fire Pit.

Ground Preparation:

A solid foundation is necessary in order to prevent settling and to keep your backyard focal point beautiful for years to come. Level a 70" circular area of compacted soil 3" below grade, then spread and compact ¼ yard of gravel or rock on top of the soil leaving 1" below grade or follow local building codes required foundation type.

Caution: The fire pit should be placed on stone, dirt or sand surfaces. Pavers or concrete should not be directly under the fire ring, but can be installed around the fire pit. The fire pit should not be placed on wood, composite decking or near flammable objects or structures.

Place the metal fire pit insert in the center of the prepared area with the "lip" on top or "up."

Stack the first course of block around the base of the metal insert. Be sure to keep the blocks close together and level individual blocks from front to back and side to side. Blocks may need to be shifted slightly in order to get a snug fit.

Install the second course of blocks by staggering each intersection of the first course block with the second course block leaving no vertical seams. Continue around the circle making slight adjustments as needed so that the edge of the blocks fit securely in the circle.

Remove the metal insert and stack the third and final course of blocks in the same manner as the second course.

HERITAGE BLOCK ROUND FIRE PIT KIT

Instructions continued

Reinstall the metal insert in the center of the blocks. The "lip" on top of the insert should sit on top of the final course of block. Before proceeding to the next step, check to make sure:

- All blocks are level and fit snugly together and
- All blocks are staggered leaving no vertical seams

Caution: Do not use adhesive until all caps are placed and fit properly.

Place the first cap directly over one of the blocks in the third course allowing the cap to overhang the front of the block by about 1.5". Continue around the circle making slight adjustments as needed so that the edges of the caps fit snugly in the circle. Once the caps are in place, remove one cap at a time and place a quarter size dab of adhesive on the bottom of the cap before replacing it. Continue this process until all caps are secured with adhesive.

Note: A concrete or masonry saw can be used to cut the caps to obtain a specific look or to ensure proper fit if needed.

Use and Maintenance

Enjoy your Heritage Block Fire Pit for years with proper use and maintenance.

Fire Pit Use:

- When using your fire pit, always following burning regulations in your area and never leave a fire unattended.
- Keep the fire within the metal insert; any exposure of the flames directly to the blocks may cause blackening or cracking of the blocks.
- Keep gravel or sand up to or above the base of the metal insert to protect the blocks from direct flame exposure. The gravel base provides drainage and helps protect any blocks that are positioned below the bottom of the metal insert.

Fire Pit Maintenance:

- Clean your fire pit often.
- Wait until the fire has burned out completely and all ashes have cooled before cleaning the fire pit.
- Begin by removing the larger pieces of debris; the remaining ash can be scooped out and/or lightly sprayed with a hose to rinse through the gravel.

Enjoy your new Heritage Block Fire Pit!

NORTH CAROLINA
409 Northbrook Dr., Youngsville, NC 27596
919-562-5008



HERITAGEBLOCK.COM

KANSAS
550 E. 56 Hwy, Suite B, Olathe, KS 66061
913-254-9300



HERITAGE BLOCK SQUARE FIRE PIT KIT

(49" x 49" x 25" tall - Outside / 29.5" x 29.5" x 25" tall - Inside)



Materials included

- 12 Column Blocks
- 12 Half Blocks
- 1 Metal Fire Pit Insert
- 8 Full Caps
- 2 Small Caps

Additional materials and tools needed for this project

¼ Yard Washed Gravel

Protective Equipment

Rubber Mallet

Level

Weather Resistant Concrete Adhesive

Tape Measure

Instructions

Responsibilities:

It is the responsibility of the owner to ensure compliance with all applicable laws, codes and regulations for any project. Proper safety precautions must be taken before and during the construction of each project. Please follow standard safety guidelines and wear necessary protective equipment when building and using your Heritage Block Fire Pit.



Ground Preparation:

A solid foundation is necessary in order to prevent settling and to keep your backyard focal point beautiful for many years. Level a 55" square area of compacted soil 3" below grade, then spread and compact ¼ yard of gravel or rock on top of the soil leaving 1" below grade, or follow required foundation type.

Caution: The fire pit should be placed on stone, dirt or sand surfaces. Pavers or concrete should not be directly under the metal fire insert, but can be installed around the fire pit. The fire pit should not be placed on wood, composite decking or near flammable objects or structures.

Place the metal fire pit insert in the center of the prepared area with the "lip" on top or "up."

Stack the first course of block around the base of the metal insert. Be sure to keep the blocks close together and level individual blocks from front to back and side to side. Blocks may need to be shifted slightly in order to get a snug fit. Use the image for block pattern.

Install the second course of blocks by staggering each intersection of the first course block with the second course block leaving no vertical seams. Continue around the insert making slight adjustments as needed so that the edge of the blocks fit securely. Repeat for the third course.



Remove the metal insert and stack the fourth and final course of blocks in the same manner as the previous courses.



HERITAGE BLOCK SQUARE FIRE PIT KIT

Instructions continued

Reinstall the metal insert in the center of the blocks. The “lip” on top of the insert should sit on top of the final course of block. Before proceeding to the next step, check to make sure:

- All blocks are level and fit snugly together and
- All blocks are staggered leaving no vertical seams

Caution: Do not use adhesive until all caps are placed and fit properly.

There are two caps smaller than the other caps. Place these on opposite sides of the fire pit as seen in the picture. Place the first top cap directly over one of the blocks in the fourth course allowing the cap to overhang the front of the block by about 1.5”.



Continue around the fire pit making slight adjustments as needed so that the edges of the caps fit snugly together. Once the caps are in place remove one cap at a time, place a quarter size dab of adhesive on the bottom of the cap before replacing it. Continue this process until all caps are secured with adhesive.

Note: A concrete or masonry saw can be used to cut the caps to obtain a specific look or to ensure proper fit if needed.

Use and Maintenance

Enjoy your Heritage Block Fire Pit for years with proper use and maintenance.

Fire Pit Use:

- When using your fire pit, always following burning regulations in your area and never leave a fire unattended.
- Keep the fire within the metal insert; any exposure of the flames directly to the blocks may cause blackening or cracking of the blocks.
- Keep gravel or sand up to or above the base of the metal insert to protect the blocks from direct flame exposure. The gravel base provides drainage and helps protect any blocks that are positioned below the bottom of the metal insert.

Fire Pit Maintenance:

- Clean your fire pit often.
- Wait until the fire has burned out completely and all ashes have cooled before cleaning the fire pit.
- Begin by removing the larger pieces of debris; the remaining ash can be scooped out and/or lightly sprayed with a hose to rinse through the gravel.

Enjoy your new Heritage Block Fire Pit!

NORTH CAROLINA
409 Northbrook Dr., Youngsville, NC 27596
919-562-5008



HERITAGEBLOCK.COM

KANSAS
550 E. 56 Hwy, Suite B, Olathe, KS 66061
913-254-9300